

FUCHS OIL HUNGÁRIA

Kereskedelmi és Szolgáltató Kft.



A **JCB** gyári kenőanyagainak átváltó segédlete a **Fuchs** kenőanyagokra



JCB termék neve	JCB termék elfogadásai	Fuchs helyettesítő termék
JCB Universal Agricultural Oil 10W-30	API CF-4/SF, API GL-4, Case MS 1118, MS 1209, Ford ESN-M2C-41-B, -121-E, -134-C, -159-C, Massey Ferguson CMS M1127, 1135, 1139, 1141, 1144, Caterpillar TO-2, Allison C-4, New Holland NH 024C, 324B, 410B, ZF TE-ML 06 B, 07 B	Agrifarm STOU MC 10W-30
JCB Ultra Performance Engine Oil 15W40	API CJ-4 / API SM, ACEA E9, Volvo VDS-4, Renault RLD-3, MB 228.31, MAN 3575, MAN 3275, MTU Type 2.1, Deutz DQC III-05, Cat ECF-3/ECF-2/ ECF-1a, Mack EOM- Premium Plus, Cummins CES 20081, DDC 93K218.	Titan Cargo 15W-40
JCB Optimum Performance Engine Oil 15W40	API CI-4/SL, ACEA E7, E5, E3, MAN M3275, MB 228.3, Volvo VDS-3, MTU Type 2, Mack EO-N, Cummins CES 20071, -72, -76, -77, Worldwide DHD-1, Caterpillar ECF-1 & ECF-2, Renault VI RLD & RLD-2, ZF TE-ML 04C, 07C	Agrifarm MOT 15W-40
JCB Engine Oil EP 15W40	API CH-4/SJ, ACEA E5, E3, B3, A3, MAN M3275, MB 228.3, MTU Type 2, Mack EO-M Plus, Cummins CES 20071,-72,-76,-77	Titan Truck 15W-40
JCB Engine Oil HP 15W40	API CG-4/SJ/CF, ACEA A2/B2/E2, MAN 271, MB 228.1, VW 501.01/505.00 performance demonstration, Volvo VDS, Mack EO-L Plus, MTU Type 1	Titan Universal HD 15W-40
JCB Engine Oil HP SAE30	API CD/SF/CDII, CCMC G2, PD1, D2, MIL-L-46152-C, MIL-L-2104C, MB 227.0, MAN 270, Clark Form TLC-25 3M8-83, DANA Spicer Bulletin 2508-9, Eaton/Fuller Bulletin 2052, Voith, ZF TE-ML 03, Allison C-3, Caterpillar TO-2	Titan Universal HD 30
JCB Optimum Performance Hydraulic Fluid 46	DIN 51524, part 3, category, HVLP, ISO 11158, category HV, SS 155434, category AV, Denison HF-0, HF-1, HF-2, AFNOR 48-603, category HV	Agrifarm Hydratec HVI 46
JCB Hydraulic Fluid EP 46	DIN 51524, Part 3, category, HVLP Cincinnati Milacron P70 • AFNOR NFE 48-690 (dry), 691 (wet), Denison HF-1, HF-2, HF-0, Vickers M-2950-s (Mobile), Vickers 1- 286-S Industrial, ISO 11158 category HV, CETOP RR 91 H, US Steel 126, 127, Poclairn Excavators ISO 46	Renolin MR 46 MC
JCB Hydraulic Fluid HP 46	ISO 11158, category HM, SS 155434, category AM, DIN 51524, Part 2, category HLP, Cincinnati Milacron P-70, Vickers M-2950-S, Denison HF-0	Renolin ZAF 46 B
JCB Hydraulic Fluid HP 32	ISO 11158, category HM, SS 155434, category AM, DIN 51524, Part 2, category HLP, Cincinnati Milacron P-70, Vickers M-2950-S, Denison HF-0	Renolin ZAF 32 B
JCB Hydraulic Fluid HP 15	ISO 11158, category HV, DIN 51524, Part 3 category HVLP	Renolin B 15 HVI
JCB Hydraulic Fluid HP 68	ISO 11158, category HM, SS 155434, category AM, DIN 51524 Part 2 category HLP, Cincinnati Milacron P-69, Vickers M-2950-S, Denison HF-0	Renolin ZAF 68 B
JCB Biodegradable Hydraulic Fluid 46	DIN 51524, part 3 category HVLP (except oxidation stability D943), ISO 11158, category HV (except oxidation stability D943), Draft DIN specification for HE type fluids, ISO 15380 HEES type, SS 155434 category BV, Dutch VAMIL regulation, VDMA 24586, Denison HF-2 & HF-6	Plantohyd 46 S
JCB Optimum Performance Gear Oil	DIN 51517 part 3, category CLP, ISO 12925-1, Type CKC-CKD. AGMA 9005-D94 (5EP, 6EP & 7EP)	Renolin CLP

JCB termék neve	JCB termék elfogadásai	Fuchs helyettesítő termék
JCB Gear Oil EP 85W140	API GL-5, MIL-L-2105D, JI Case MS 1316, Clark MS-8 Rev. 1, Clark Form No. ALC-1 5M 7-80 KE, TLC-25 3M 8-83, John Deere JDM J11D/E, Eaton Bulletin 2053, 6007, Eaton/Fuller Bulletin 2052, Ford SM-2C-1011A SQM-2C9002-AA, Fuller Form 121, General Motors Pt. no.88 63 370, 85 476, Komatsu Dresser B22-0003, B22-0005, MAN 342, MB 235.0, Rockwell Int 0-76, Volvo 97310, ZF TE-ML 01, 05, 07, 12A	Agrifarm GEAR 85W-140
JCB Gear Oil HP	API GL-4, Case MS 1209 (Hy-Tran Plus, transmissions, hydraulics, wet brakes), Case UK/David Brown, John Deere JDM J20C, Fiat AF 87, Ford New Holland ESEN-M2C86-B Komatsu Dresser B06-0002, Landini UTTO, Massey Ferguson CMS M 1127, 1135, 1141, SAME UTTO (past 1981 models), Valmet/Volvo BM UTTO	Agrifarm UTTO MP
JCB Gear Oil HP Plus	API GL-4, Ford New Holland ESN-M2C 41-B, 132-D, John Deere JDM J20C, Massey Ferguson CMS M 1127, 1135, 1141, 1143, Case MS 1207, 1210, 1230, White New Idea Q-1802, Q-1826, Caterpillar TO-2, Allison C-3 & C-4	Agrifarm STOU MC 10W-30
JCB Gear Oil LS Plus	API GL-5, JDQ-96(JD J20C)	Agrifarm GEAR LS 90
JCB Gear Oil HP 90	API GL-5, MIL-L-2105B, JI Case MS 1316, Clark MS-8 Rev.1, Clark Form No. ALC-1 5M 7-80 KE, TLC-25 3M 8-83, John Deere JDM J11D/E, Eaton Bulletin 2053, 6007, Eaton/Fuller Bulletin 2052, Ford SM-2C-1011A SQM-2C9002-A, Fuller Form 121, General Motors Pt. no. 88 63 370, 85 476, Komatsu Dresser B22-0003, B22-0005, MAN 342, Mercedes-Benz 235.0, Rockwell International 0-76, VME Americas EEMS 19003F, Volvo 97310, ZF TE-ML 01, 05, 07, 12A	Titan Gear HYP 90
JCB Gear Oil EP 80W90	API GL-5, MIL-L-2105D, JI Case MS 1316, Clark MS-8 Rev.1, Clark Form No. ALC-1 5M 7-80 KE, TLC-25 3M 8-83, John Deere JDM J11D/E, Eaton Bulletin 2053, 6007, Eaton/Fuller Bulletin 2052, Ford SM-2C-1011A SQM-2C9002-AA, Fuller Form 121, General Motors Pt. no. 88 63 370, 85 476 • Komatsu Dresser B22-0003, B22-0005, MAN 342, Mercedes-Benz 235.0, Rockwell International 0-76 VME, Americas EEMS 19003F, Volvo 97310, ZF TE-ML 01, 05, 07, 12A	Agrifarm GEAR 80W-90
JCB Optimum Performance Transmission Fluid	API CE/SF/CF, API CG-4, API GL-3/GL-4, ACEA E3, ZF TE-ML 06B, 06C, MB 227.1, JCB Fastrac (CVT), AGCO CVT ML 200, Allison C4 (Auto Trans), Massey Ferguson CMS M 1135, 1139, 1143, 1144, John Deere J20C & J27, Ford M2C134D, M2C159B, M2C159C (STOU), New Holland NH 03C, NH 024C (STOU), NH410B, NH420A, CNH MAT 3525, 3526	Agrifarm STOU MC 10W-30
JCB Optimum Performance Clutch Fluid	ISO 7308, MAN 3623/93, Daimler Chrysler MB 345.0, Opel B 040 0070, Volkswagen TL 52146	Titan ZH 4300 B
JCB Transmission Fluid EP 10W	Caterpillar TO-4, Allison C-4, Eaton	Titan UTTO TO-4 SAE 10W
JCB Transmission Fluid EP 30	Caterpillar TO-4, Allison C-4, Eaton	Titan UTTO TO-4 SAE 30
JCB Torque Converter Fluid	API CD/SF/CD II, CCMC G2, PD1 & D2, MIL-L-46152-C & MIL-L-2104C, Mercedes-Benz 227.0, MAN 270, Clark Form TLC-25 3M8-83, DANA Spicer Bulletin 2508-9, Eaton/Fuller Bulletin 2052, Voith, ZF TE-ML 03, Allison C-3, Caterpillar TO-2	Titan Universal HD 10W

JCB termék neve	JCB termék elfogadásai	Fuchs helyettesítő termék
JCB HP Universal ATF	Dexron ATF Type IIE, III, Ford Mercon M931004, Allison C-4, C4-18741793, Mercedes Benz 236.1, 236.5, MAN 339 type F, Voith DIWA (list G 607), ZF TE-ML 02F, 03D, 04D, 11B, 14A, 17C	Titan ATF 4000
Special MPL-EP Grease	Soap Type: Lithium NLGI: 2, Drop Point (IP132): 180°C, Working Temperature Range: -20°C to 130°C	Renolit FEP 2
Extreme Performance Hammer Grease	Colour: Black Soap Type: Aluminium Complex NLGI: 2, Drop Point (IP132): 250°C, Working Temperature Range: -20°C to 160°C	alkalmazás függő
Extreme Performance Moly Grease	Colour: Grey black Soap Type: Lithium NLGI: 2, Drop Point (IP132): 185°C, Working Temperature Range: -20°C to 120°C	Renolit MO 2
Special HP Grease	Colour: Blue Soap Type: Lithium Complex NLGI: 2, Drop Point (IP132): 245°C, Working Temperature Range: -20°C to 150°C	Renolit LX-EP 2
Special Hammer Grease	Colour: Dark grey Soap Type: Lithium NLGI: 2, Drop Point (IP132): 185°C, Working Temperature Range: -15°C to 120°C	alkalmazás függő
Special Slide Grease	Colour: Dark grey Soap Type: Lithium NLGI: 2, Drop Point (IP132): 180°C, Working Temperature Range: -20°C to 120°C	Renolit CXI 2
JCB Autogrease	Colour: Black Soap Type: Aluminium Complex, solid lubricants NLGI: 2, Drop Point (IP132): 260°C, Working Temperature Range: -20°C to 110°C	Stabyl 300 AL 2
Special Slew Pinion Grease	Colour: Black Soap Type: Organically modified clay NLGI: 2, Drop Point (IP132): n/a, Working Temperature Range: -40°C to 100°C	Ceplattyn 300

Részletes termékleírást termékeinkről a www.fuchs-oil.hu, vagy a www.agrifarm.hu honlapokon találhat.

Amennyiben egyéb kérdései merülnének fel az itt leírtakkal kapcsolatban, kérjük, ne habozzon, megkeresni.

Üdvözlettel:

Ifj. Pálffy Attila
Okl. Mg. Gépészmérnök / Műszaki Vezető
a.palffy@fuchs-oil.hu
+36 30 619-1784